ELSEVIER

Carbohydrate Research 265 (1994) C3–C4

CARBOHYDRATE RESEARCH

AUTHOR INDEX

Aiba, S.-i. 323
Albert, M.J. 121
Alisi, M.A. 139
Anderson, A.N. 41

Bella, J. 151
Blize, A.E. 31
Brufani, M. 139

Cai, M.-S. 227
Cellai, L. 139
Cesàro, A. 167
Cescutti, P. 151
Cesta, M.C. 139
Chang, K.-Y. 311
Courtois, B. 303
Courtois, J. 303

Dantas, L. 303
Davies, D.B. 79, 97
Defaye, J. 129, 249
Dudley, R.L. 319

Elliott, A.C. 79, 97
Engberts, J.B.F.N. 215
Engle, A.R. 181

Fett, W.F. 319
Filocamo, L. 139
Fronczek, F.R. 197, 207
Fujita, K.-i. 299
Furuhata, K.-i. 271

Gadelle, A. 129, 249
Galema, S.A. 215
García Fernández, J.M. 249
Gey, C. 303
Gilli, R. 167
Gooneratne, J. 61
Grigera, J.R. 215

Hamann, C.H. 1
Heyraud, A. 303
Holme, T. 121
Howard, E. 215
Huang, H.-Q. 227
Hyatt, J.A. 181

Iannelli, M.A. 139
Ireland, P. 49
Ishizuka, I. 49

Jenkins, D.J. 145
Jones, C. 79, 97

Köll, P. 237
Kóš, M. 237
Köpper, S. 161
Kubo, H. 49
Kvam, B.J. 151

Lamba, D. 151
Lappa, S. 139
Lehmann, J. 19
Le Questel, J.Y. 291
Li, Z.-J. 227
Lindberg, B. 121
Lindberg, J. 121

Manley-Harris, M. 31
Marchis-Mouren, G. 19
Matsukawa, A. 299
Matulová, M. 151, 167
Mosihuzzaman, M. 121
Mouhous-Riou, N. 291

Navarini, L. 167
Needs, P.W. 61

Oi, S. 299
Okuda, M. 49

Ong, G.-T. 311
Osman, S.F. 319

Paoletti, S. 151, 167
Parolis, H. 41
Parolis, L.A.S. 41
Pérez, S. 291
Piculell, L. 281
Pohl, S. 237
Polligkeit, H. 1
Potter, B.V.L. 145
Purdie, N. 181

Qadri, F. 121

Rahman, M.M. 121
Ratnayake, S. 113
Richards, G.N. 31
Rochas, C. 281
Rutherford, T.J. 79, 97
Ryden, P. 61

Saak, W. 237
Sakamoto, M. 271
Schiltz, E. 19
Schmidt-Schuchardt, M. 19
Seguin, J.-P. 303
Selvendran, R.R. 61
Shalaby, M.A. 197, 207
Shibata, K. 299
Smiatacz, Z. 1
Steiner, B. 237
Stępowska, H. 133

Tadano-Aritomi, K. 49
Tanaka, T. 299
Taniguchi, M. 299
Taravel, F.-R. 281
Toffanin, R. 151, 167
Tseng, H. 271
Turquois, T. 281

Vargas, D. 197

Wang, K.-T. 311
Weintraub, A. 113
Widmalm, G. 113
Williams, P.A. 281
Withers, S.G. 9
Wolf, P. 1
Wu, S.-H. 311

Younathan, E.S. 197, 207

Zamojski, A. 133
Zhang, W. 281
Ziser, L. 9

ELSEVIER

Carbohydrate Research 265 (1994) C5–C7

CARBOHYDRATE RESEARCH

SUBJECT INDEX

N-Acetylchitooligosaccharides, preparation by hydrolysis of chitosan with chitinase followed by *N*-acetylation, 323
O-Antigenic polysaccharide from enterotoxigenic *Escherichia coli* O153, structural studies, 113
O-Antigen polysaccharide, structural studies of the *Shigella boydii* type 5, 121
Aromatic dyes, induced circular dichroism study of the aqueous solution complexation of cellooligosaccharides and related polysaccharides with, 181

Benzylation of D-glucofuranose and D-mannofuranose derivatives, selective formation of 5-benzyl ethers in a two-phase system, 133
Binding areas in porcine pancreatic alpha-amylase by three regioisomeric photolabile ligands, differential chemical modification of, 19

Capsular polysaccharide, 41, 79
Carbohydrate liquid crystals and polymers, preparation of difructose dianhydrides for use as building blocks for the preparation of, 249
Cellooligosaccharides with aromatic dyes, induced circular dichroism study of the aqueous solution complexation of, 181
Cell wall polysaccharides from the cotyledons of mung bean *Vigna radiata*, structural features, 61
Chitin with *N*-chlorosuccinimide–triphenylphosphine under homogeneous conditions in lithium chloride–*N*,*N*-dimethylacetamide, regioselective chlorination of, 271
Chitosan, preparation of *N*-acetylchitooligosaccharides by hydrolysis with chitinase followed by *N*-acetylation, 323
Chlorination of chitin with *N*-chlorosuccinimide–triphenylphosphine under homogeneous conditions in lithium chloride–*N*,*N*-dimethylacetamide, regioselective, 271
Circular dichroism study of the aqueous solution complexation of cellooligosaccharides and related polysaccharides with aromatic dyes, induced, 181
^{13}C NMR, 97
Complexation of cellooligosaccharides and related polysaccharides with aromatic dyes, induced circular dichroism study of the aqueous solution, 181
Configuration and conformation of di-D-fructose anhydride I. The crystal and molecular structure of 3,4,3',4'-tetra-*O*-acetyl-6,6'-(ditriphenylmethyl)-di-D-fructose anhydride I, the, 207
Conformation, 79, 97
Conformational study of the Smith degradation product of the *Klebsiella* K40 capsular polysaccharide by 1D NOESY and molecular mechanics calculations, 151
Conformation of di-D-fructose anhydride I. The crystal and molecular structure of 3,4,3',4'-tetra-*O*-acetyl-6,6'-(ditriphenylmethyl)-di-D-fructose anhydride I, the configuration and, 207
Conformation of the pyranoid ring in 1,2:3,4-di-*O*-isopropylidene-galactopyranose and related systems, 237
Conformations and structure studies of sugar lactones. Part III. The composition and conformation of D-mannurono-γ-lactone in solution, and the structural analysis of its β anomer in the solid state, 197
Crystal and molecular structure of 3,4,3',4'-tetra-O-acetyl-6,6'-(ditriphenylmethyl)-di-D-fructose anhydride I, the configuration and conformation of di-D-fructose anhydride I. The, 207

4-Cyanophenyl and 4-nitrophenyl-β-D-xylopyranosides, the crystal and molecular structure of, 291
Cyclohexakis- and cycloheptakis-(1 → 4)-(7-amino-6,7-dideoxy-α-D-*gluco*-heptopyranosyl) homoanalogues of 6-amino-6-deoxycyclomaltooligosaccharides, synthesis of, 129
Cyclomaltooligosaccharides, synthesis of cyclohexakis- and cycloheptakis-(1 → 4)-(7-amino-6,7-dideoxy-α-D-*gluco*-heptopyranosyl) homoanalogues of 6-amino-6-deoxy, 129

Di-D-fructose anhydride I. The crystal and molecular structure of 3,4,3′,4′-tetra-*O*-acetyl-6,6′-(ditriphenylmethyl)-di-D-fructose anhydride I, the configuration and conformation of, 207
Di-D-fructose dianhydrides from the pyrolysis of inulin, 31
Differential chemical modification of binding areas in porcine pancreatic alpha-amylase by three regioisomeric photolabile ligands, 19
Difructose dianhydrides from sucrose and fructo-oligosaccharides and their use as building blocks for the preparation of amphiphiles, liquid crystals, and polymers, 249
Disaccharide synthesis by a novel electrochemical approach, 1

Electrochemical synthesis of methyl α-isomaltoside, 1
Enterotoxigenic *Escherichia coli* O153 O-antigenic polysaccharide, structural studies, 113
Enzymatic hydrolysis of maltose/cellobiose octaacetate, preparation of 2,3,6,2′,3′,4′,6′-hepta-*O*-acetyl-maltose/cellobiose by, 311
Enzymic hydrolysis of a (1 → 4)-β-D-glucuronan, ^{13}C and ^{1}H NMR studies of oligoglucuronates prepared by, 303
Enzymic synthesis of lactose on a preparative scale, polymer-supported, 161
6-*O*-[(2*S*)-2,3-Epoxypropyl]-1,2 : 3,4-di-*O*-isopropylidene-α-D-galactopyranose, preparation and crystal and molecular structure, 237
Escherichia coli, 41
Escherichia coli O153 O-antigenic polysaccharide, structural studies of the enterotoxigenic, 113
Exopolysaccharides of *Pseudomonas stutzeri*, strain ATCC, structure of the, 319

5-Fluorouridine 5′-diphosphate galactose, synthesis by chemical phosphorylation and microbial uridylyl transfer, 299

D-Glucofuranose and D-mannofuranose derivatives, a convenient preparation of 5-benzyl ethers by selective benzylation, 133

^{1}H NMR, 97
Hydration characteristics of two monosaccharides, effect of stereochemistry as studied by molecular dynamics simulation, 215
Hydrolysis of chitosan with chitinase followed by *N*-acetylation, preparation of *N*-acetylchitooligosaccharides, 323

Inulin, di-D-fructose dianhydrides from the pyrolysis of, 31
Isoglobopentaosylceramide, 49
Isoglobo-series core, 49

K25 antigen, 41
Kappa-carrageenan gels, effect of added galacto- and gluco-mannans on the NMR spectra of ^{133}Cs ions, 281
Klebsiella K40 capsular polysaccharide, a conformational study of an oligosaccharide fragment related to the, 151

Lactones. Part III. The composition and conformation of D-mannurono-γ-lactone in solution, and the structural analysis of its β anomer in the solid state, conformations and structure studies of sugar, 197

D-Mannurono-γ-lactone in solution, and the structural analysis of its β anomer in the solid state, conformations and structure studies of sugar lactones. Part III. The composition and conformation of, 197
Methyl 4,6-*O*-benzylidene-α-D-glucopyranoside, selectivity in stannylene-mediated alkylation and esterification, 145
Methyl α-isomaltoside, electrochemical synthesis, 1
Molecular dynamics, 97
Molecular dynamics simulation of β-D-galactopyranose and (α,β)-D-talopyranose, the effect of stereochemistry upon carbohydrate hydration, 215
Molecular modelling, 79
Monosaccharides, effect of stereochemistry upon hydration as determined by a molecular dynamics simulation, 215
Mung bean *Vigna radiata*, structural features of cell wall polysaccharides from the cotyledons of, 61

4-Nitrophenyl-β-D-xylopyranosides, the crystal and molecular structure of 4-cyanophenyl and, 291

NMR analysis of succinoglycans from different microbial sources: partial assignment of their ^{1}H and ^{13}C NMR spectra and location of the succinate and the acetate groups, 167
NMR spectra and location of the succinate and the acetate groups, NMR analysis of succinoglycans from different microbial sources: partial assignment of their ^{1}H and ^{13}C, 167
NMR spectroscopy, 41, 79
NMR studies of oligoglucuronates prepared by enzymic hydrolysis of a (1 → 4)-β-D-glucuronan, ^{13}C and ^{1}H, 303

Oligoglucuronates prepared by enzymic hydrolysis of a (1 → 4)-β-D-glucuronan, ^{13}C and ^{1}H NMR studies of, 303
Oligosaccharide fragment related to the *Klebsiella* K40 capsular polysaccharide, conformational study by 1D NOESY and molecular mechanics calculations, 151

Phenylpropanoid glycosides, facile synthesis of the sugar cores from, 227
Phosphatidyl-*myo*-inositol ketophosphonate analogue as inhibitor of phosphatidylinositol phospholipase C, synthesis of, 139
Photolabile ligands, differential chemical modification of binding areas in porcine pancreatic alpha-amylase by three regioisomeric, 19
Polymer-supported enzymic synthesis of lactose on a preparative scale, 161
Polysaccharide, structural studies of the *Shigella boydii* type 5 O-antigen, 121
Polysaccharides from the cotyledons of mung bean *Vigna radiata*, structural features of cell wall, 61
Polysaccharides with aromatic dyes, induced circular dichroism study of the aqueous solution complexation of cellooligosaccharides and related, 181
Pseudomonas stutzeri, strain ATCC, structure of the exopolysaccharides of, 319
Pyranoid ring conformation in 1,2:3,4-di-*O*-isopropylidene-galactopyranose and related systems, 237
Pyrolysis of inulin, di-D-fructose dianhydrides from the, 31

Rat kidney, 49
Regioselective chlorination of chitin with *N*-chlorosuccinimide–triphenylphosphine under homogeneous conditions in lithium chloride–*N*,*N*-dimethylacetamide, 271

Selective benzylation of D-glucofuranose and D-mannofuranose derivatives, preparation of 5-benzyl ethers, 133
Selectivity in the stannylene-mediated alkylation and esterification of methyl 4,6-*O*-benzylidene-α-D-glucopyranoside, 145
Shigella boydii type 5 O-antigen polysaccharide, structural studies, 121
Simulated annealing, 97
Solid-phase enzymic synthesis of lactose on a preparative scale, 161
Stannylene-mediated alkylation and esterification of methyl 4,6-*O*-benzylidene-α-D-glucopyranoside, selectivity in, 145
Streptococcus pneumoniae, 79
Structure studies of sugar lactones. Part III. The composition and conformation of D-mannurono-γ-lactone in solution, and the structural analysis of its β anomer in the solid state, conformations and, 197
Structure of 4-cyanophenyl and 4-nitrophenyl-β-D-xylopyranosides, the crystal and molecular, 291
Structure of the exopolysaccharides of *Pseudomonas stutzeri*, strain ATCC, 319
Succinoglycans from different microbial sources: partial assignment of their ^{1}H and ^{13}C NMR spectra and location of the succinate and the acetate groups, NMR analysis of, 167
Sucrose and fructo-oligosaccharides, preparation of difructose dianhydrides from, 249
Sugar cores from phenylpropanoid glycosides, facile synthesis of the, 227
Sulfated glycolipids, 49
Synthesis of cyclohexakis- and cycloheptakis-(1 → 4)-(7-amino-6,7-dideoxy-α-D-*gluco*-heptopyranosyl) homoanalogues of 6-amino-6-deoxycyclomaltooligosaccharides, 129
Synthesis of the sugar cores from phenylpropanoid glycosides, facile, 227

Tumour antigens, 49

β-Xylobiosides, dibutylstannylene xylopyranosides, xylopyranosyl trichloroacetimidates, 4-unprotected xylosides, 9